

*Prinsu low profile*

# AWNING MOUNT



## **Applications**

installation instructions

These installation instructions apply all Prinsu roof and top racks

## **IMPORTANT!**

**THANK YOU** for purchasing this Prinsu product. Please read through this entire document before proceeding with installation. If you are not confident in your mechanical skills, please seek the help of a professional to perform the installation. Check your packages immediately upon arrival to ensure that everything listed is included, and to check for damage during shipping. ***If anything is missing or damaged, or if you need technical assistance with any aspect of this installation, call Prinsu at (208) 528-0664 as soon as possible.***

## **IMPORTANT!**

### **Caution:**


The handling characteristics of the vehicle changes when you transport a load on top of the vehicle. For safety reasons we recommend you exercise extreme care when transporting wind-resistant loads. Special consideration must be taken into account when cornering and braking.

### **Note for Dealers and Installers:**

It is your responsibility to ensure instructions are given to the end user or client.

## **Hardware 1:1 Scale View**


**A** 8 – 1/4"-20x3/4" Carriage bolt




**B** 8 – 1/4" Flat Washer



**C** 8 – 1/4" Nylock Nut



## **Exploded Product/Hardware View**



## **Questions?**

Call: 866-522-0697

Email: [info@prinsudesign.com](mailto:info@prinsudesign.com)



792 E Iona Rd.  
Idaho Falls, ID 83274  
[prinsudesignstudio.com](http://prinsudesignstudio.com)  
**208.528.0664**